



Handheld Bond Measurements

From the Low Resistance Experts. The only highly-portable bond meter made in the U.S.A that offers superior accuracy, 100-hour battery life, and a 3-year warranty.



TRUST is an essential feature in any measurement tool and TEGAM’s new 700 Series bond meters are instruments you can **rely on every day** with confidence. These new models are designed with the clearest and most informative displays for mistake-free usage. They quickly produce accurate readings to reduce the time spent measuring.

TEGAM is the largest producer of bond meters for airframe testing in both military and commercial applications. We also make some of the finest low resistance measurements instruments in the world. We combined this experience into the smallest size bond meter that you can take with you anywhere on an airframe with ease. We also developed unique low power techniques so that you don’t have to deal with power cords or battery chargers. The 710A/720A will run for 100 hours on 3 standard AA batteries and has auto power off to preserve them. The battery health is clearly indicated so that you have ample warning for replacement.

PROBES are often more important than the instrument. No one has wider range of configurations to meet and adapt to your needs. From tight spacing to piercing paint, we have a handle and tip combination for virtually all applications. You can mix styles to make your job easier. The dual connector system permits a Kelvin Clip on one lead for secure ground connection while the ergonomic tri-shape probe on the second lead can be used for accessing multiple points with one hand.

The creative ergonomic design makes these instruments easy to hold, easy to read and easy to clean. **Designed for one-handed operation**, these tools are comfortable to carry and use for extended periods of time.

Like all TEGAM products, the 700 Series bond meters are designed, assembled and tested in the United States. TEGAM backs this durable instrument with a **3-year warranty** to assure you that your investment is sound.

For over 30 years, TEGAM has been building hand held instruments for challenging applications. TEGAM’s 700 Series extends that experience into highly portable bond meters tasked with producing **reliable measurements in tight spaces encountered with aircraft**. They are designed to be durable and easy to use, with advanced features for better measurements.

When the Measurement Matters, Be Certain with TEGAM.

COMMON FEATURES

- Superior Accuracy
±(0.2% |rdg| + 0.02% Range)
- Widest Probe Selection
- Uncomplicated, Back-lit Display
- 100-Hour Battery Life (3AA)*
- Smallest and Lightest Bond Meter
- 3-Year Warranty
- Made in USA
- Model 720A: Intrinsically Safe

*Actual battery life depends on measurement range and frequency.

**Specifications**

Resistance Ranges and Test Currents		
Full Scale	Resolution	Test Current
10.000 mΩ	1 μΩ	100 mA
100.00 mΩ	10 μΩ	10 mA
1.0000 Ω	100 μΩ	1 mA
10.000 Ω	1 mΩ	100 μA
100.00 Ω	10 mΩ	10 μA
Basic Accuracy*	±(0.2% Reading + 0.02% Range)	
Recommended Calibration Cycle	1 year	
Connector Type	M12	
Display	4-Digit Auto-Ranging with Backlight and Function Annunciators	
Reading Rate	3 readings / sec.	
Battery Type	3 AA (IEC LR6, ANSI 15) Alkaline	
Battery Life	Standby: 100 hours; Operation @ 100 mA: 50 hours	
Operating Environment:		
Temperature	-10 to 55 °C	14 to 131 °F
Humidity	5 to 95%, 10 to 30 °C	5 to 95%, 50 to 86 °F
Altitude	0 to 4600 m	0 to 15,092 ft.
Vibration	Random 10-500 Hz, 0.03 g ² /Hz	
Shock	30g Half Sine	
Drop	4 drops from 1 m to concrete	
Dimensions	193 X 84 X 28 mm	7.6 X 3.3 X 1.1 in.
Weight (including batteries)	303.2 g (10.7 oz.)	
Warranty	3 year Parts & Workmanship	
Included Accessories	3 AA Batteries, Quick Start Guide, Certificate of Traceability	

Ordering Information	Model	Description
Bond Meters	710A	Handheld Bond Meter
Optional Accessories	700-910	Tilt Stand / Magnetic / Hanger (Factory Installed)
	700-912	Tilt Stand / Magnetic / Hanger (User Installed)
	700-911	Foam-Filled Hard Carry Case
	700-915	SureGrip™ Cover
	710-17025	ISO 17025 Calibration Report

*Accuracy based on recommended calibration cycle.




Probes

Choose two of the following probes to make a probe set, and choose one or two tip types. Any combination is valid, but only one display probe can be used in a set (display probe must be connected to channel one).

- BKP** Standard Kelvin Probe
- BKDP** Standard Kelvin Display Probe
- BKEP** Big Kelvin Extended Probe, 700 Series
- MKP** Miniature Kelvin Probe
- MKDP** Miniature Kelvin Display Probe
- MCP** Miniature Kelvin Coaxial Probe
- MCDP** Miniature Kelvin Coaxial Display Probe
- KC** Kelvin Clip Leads

BKDP Standard Kelvin Display Probe




BKP Probe with "B" Style Pins Installed




0.19"
(4.8 mm)
Pin Spacing

BKP Pin Options




MKP Probe with "B" Style Pins Installed



0.11"
(2.8 mm)
Pin Spacing

MKP Pin Options



MCP Probe



BKEP-M2 Big Kelvin Extended Probe 700 Series



KC Kelvin Clip Leads





Ordering Information (continued)

Part #	Description
Standard Kelvin	
BKDP-M2	Big Kelvin Display Probe, 700 Series
BKP-M2	Big Kelvin Probe, 700 Series
BKEP-M2	Big Kelvin Extended Probe, 700 Series
Coaxial	
MCDP-M2	Miniature Coaxial Display Probe, 700 Series
MCP-M2	Miniature Coaxial Probe, 700 Series
Miniature Kelvin	
MKDP-M2	Miniature Kelvin Display Probe, 700 Series
MKP-M2	Miniature Kelvin Probe, 700 Series
Kelvin Clip	
KC-M2	Kelvin Clip, 700 Series, 2m
KC-M5	Kelvin Clip, 700 Series, 5m

Optional Accessories



700-911
Foam-Filled Hard Carry Case



700-915
SureGrip™ Cover



700-910 or 700-912
Tilt Stand / Magnetic / Hanger