

DK-75322-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) OR SCHEME

CB TEST CERTIFICATE

Product Open type Switching Mode Power supply

Name and address of the applicant BRIDGEPOWER CORP

(GOSAEK-DONG) 16 OMOKCHEN-RO 132BEON-GIL GWONSEON-GU SUWON-SI KOREA, REPUBLIC OF

Name and address of the manufacturer SL POWER ELECTRONICS

BLDG A 6050 KING DR VENTURA CA 93003 UNITED STATES

Name and address of the factory WENDENG JEIL ELECTRONICS CO LTD

XIAMEN ROAD NO.2 WENDENG ECONOMIC DEVELOPMENT

ZONE WEIHAI CITY SHANDONG PROVINCE

CHINA

Additional Information on page 2

Ratings and principal characteristics Input: 100-240 Vac, 50-60 Hz, 1.2 A ~ 0.5 A (All outputs) / 100-240

Vac, 400 Hz, 1.2 A ~ 0.5 A (5Vdc output only)

Output: See report for details.

N/A

Trademark (if any)

Type of Customer's Testing Facility (CTF) Stage used

Note: When more than one factory, please report on page 2

Model / Type Ref. GB30XXXXXX, GB40XXXXXX, See Page 2

Additional information (if necessary may also be

reported on page 2)

Additionally evaluated to EN 62368-1:2014; National differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found

to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part

of this Certificate

E300305-A6001-CB-1 issued on 2018-07-31

This CB Test Certificate is issued by the National Certification Body



Date: 2018-07-31

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

Jan-Erik Storgaard

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Signature:

for our Superior

For full legal entity names see www.ul.com/ncbnames



DK-75322-UL

Model Details:

GB30XXXXXX

GB30 (1) X (2) XX (3) X (4) XX (5)

- (1). Family Related Designs
- (2) Model Configuration: A to Z (Standard)
- (3) Output Voltage: 05, 07, 09, 12, 15, 18, 24, 48
- (4) Standard Input Connector Options: Can be K or C or P or V for input type.

Photographs for each plug-type configuration

- K (Class I = Connecter type)
- C (Class II= Connecter type)
- P: (Class I = Pin type)
- V: (Class II = Pin type)
- (5) Model Configuration: Number: 00 thru 99

GB40XXXXXX

GB40 (1) X (2) XX (3) X (4) XX (5)

- (1) Family Related Designs
- (2) Model Configuration: A to Z (Standard)
- (3) Output Voltage: 05, 09, 12, 15, 18, 24, 48
- (4) Standard Input Connector Options: Can be K or C or P or V for input type.

Photographs for each plug-type configuration

- K: (Class I = Connecter type)
- C (Class II= Connecter type)
- P: (Class I = Pin type)
- V: (Class II = Pin type)
- (5) Model Configuration: Number: 00 thru 99

Factories:

BRIDGEPOWER VINA COMPANY LIMITED

LOT B9 THUY VAN INDUSTRIAL ZONE VIET TRI PHU THO

VIETNAM

BRIDGEPOWER CORP

(GOSAEK-DONG) 16 OMOKCHEN-RO 132BEON-GIL GWONSEON-GU SUWON-SI KOREA, REPUBLIC OF

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

lan but Supernal

For full legal entity names see www.ul.com/ncbnames

Date: 2018-07-31

Signature: Jan-Erik Storgaard